Date

Tuesday, 7/1/2008 10:46:46 AM

User:

Kim Johnston

**Process Sheet** 

Customer

: CU-DAR001 Dart Helicopters Services

Job Number

: 40153

**Estimate Number** 

: 10178

P.O. Number

This Issue

: 7/1/2008

S.O. No. :

Prsht Rev.

Written By

: NC

First Issue Previous Run

: 11 : 38950

: MACHINED PARTS Type

Checked & Approved By Comment

92.08.22 est E 06.12.11

ecn 836

Make in Cobra KJ

EC

**Drawing Name** : PLUG

Part Number

**Drawing Number** 

D2594 REV C

: D25941

Project Number

: N/A : C

**Drawing Revision** Material

Due Date : 7/30/2008

200 Um:

Each

**Additional Product** 

Job Number:



Seq. #:

Machine Or Operation:

Description:

6061-T6 Round Bar .625"

1.0

M6061T6R0625

Comment: Qtv.:

0.0547 f(s)/Unit Total:

10,9947 10.9410 f(s)

Material: 5052-H32 (QQ-A-225/7) or 6061-T6 (QQ-A-225/8)

1100-0 (QQ-A-225/1) Ø0.625" Rod

(M5052H32R0.625) or (M6061T6R0.625)

2.0

HARDINGE

1-Make as per Dwg D2594-1 and Folio FA262.

2-Break all sharp edges 0.010 max.

3.0

QC2



Comment: INSPECT PARTS AS THEY COME OFF MACHINE

4.0

QC8

SECOND CHECK



Comment: HARDINGE CNC LATHE SMALL

Comment: SECOND CHECK



5.0

HAND FINISHING1

HAND FINISHING RESOURCE #1

Comment: HAND FINISHING RESOURCE #1

Acid etch and alodine as per QSI 005 4.1

### **Dart Aerospace Ltd**

Dark Aerospace Liu										
W/O:		WORK ORDER CHANGES								
DATE	STEP		PRO	OCEDURE CHANGE	E	Зу	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
									7	
									-	
Part No	:		PAR #:	Fault Category:	NCR:	Yes	No <b>DQA</b>	\:	_ Date: _	
	·.				(	QA: N	/C Closed	:	_ Date: _	

NCR:		WORK ORDER NON-CONFORMANCE (NCR)								
		Description of NC		Corrective Action Section B	-	Verification	Approval Chief Eng	Annewal		
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C		Approval QC Inspecto		
							-			
		•			-					

NOTE: Date & initial all entries

Date: Tuesday, 7/1/2008 10:46:46 AM User: Kim Johnston **Process Sheet** Drawing Name: PLUG Customer: CU-DAR001 Dart Helicopters Services Job Number: 40153 Part Number: D25941 Job Number: Description: Seq. #: Machine Or Operation: POWDER COATING POWDER COATING 6.0 m107925 Comment: POWDER COATING Powder Coat Gloss White (Ref: 4.3.5.1) per Dart QSI 005 4.3 (only larger dia. section necessary) START TIME: **OVEN TEMPERATURE:** FINISH TIME: 7.0 QC3 Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION PACKAGING 1 PACKAGING RESOURCE #1 8.0 Comment: PACKAGING RESOURCE #1 Identify and Stoel Location: 9.0 FINAL INSPECTION/W/O RELEASE Comment: FINAL INSPECTION/W/O RELEASE Job Completion

Dart Ae	rospace L	.td				•			
W/O:			W	ORK ORDER CHANGES					· · · · · · · · · · · · · · · · · · ·
DATE	STEP	PRO	OCEDURE CHANGE		Ву	Date	Date Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
<u> </u>									
Part No	:	PAR #:	Fault Cate	gory: NO	CR: Yes	No <b>DQ</b>	A:	Date:	
					QA: I	N/C Close	d:	_ Date: _	<del> </del>
NCR:			WORK ORD	ER NON-CONFORMANC	E (NCI	₹)			
DATE	OTED.	Description of NC		Corrective Action Section B		Verifi	cation	Approval	Approval
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	💃   Sect	ion C	Chief Eng	QC Inspector

NOTE: Date & initial all entries

DART AEROSPACE LTD	Work Order:	40153
Description: Plug	Part Number:	D2594-1
Inspection Dwg: D2594 Rev: C		Page 1 of 1

## FIRST ARTICLE INSPECTION CHECKLIST

X First Article Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
0.060	+/-0.005	2060	V,			
0.500	+/-0.010	,501	1			
<b>Ø</b> 0.625	+/-0.010	169.	<b>&gt;</b>			
<b>6</b> 0.430	+0.000/-0.002	6,430	V			
0.090	+0.000/-0.002	070.				
0.045	+0.000/-0.002	.090	<b>\</b>			
					1-1-11	
4.00						

	/ A				
Measured by:	In tom	Audited by:	Prototype Approval:	N/A	<b>\</b>
Date:	08/07/07	Date: 08/07/07	Date:	2	A


Rev	Date	Change	Revised by	Approved
Α	04.01.21	New Issue	KJ/RF	1
В	06.12.20	Dwg Rev. updated	KJ/JLM	



		. ***
-		
e e		
	•	



DESIGN DRAWN BY		DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA		
CHEC	KED	APPROVED,	DRAWING NO.	REV. C	
	_		D2594	SHEET 1 OF 1	
DATE			TITLE	SCALE	
06.11.20			PLUG	2:1	
REV DATE		DATE	DESCRIF	PTION	
Α		96.09.16	NEWISSUE		
В		97.03.15	ADD GROOVE AND O-RIN		
C 06.11.20			ADD PWDR COAT; ADD MS P/N TO D2594-3; ADD AMS SPECS; ADD TOLERANCE NOTE		



0.500±0.010			CHAMFER 0.050 x 20°
0.060±0.005 — 0.0	060±0.005	0.625 0.0	90+0.000
POWDER COAT THESE FACES ONLY PER NOTE 2		0.430 <sup>+0.000</sup> -0.002 - 0.045 <sup>+0.000</sup>	
Ш			DETAIL A SCALE 4 : 1

# D2594-1 PLUG

D2594-1 PLUG NOTES:


- 1) MATERIAL: ALUMINUM 5052-H32 ROUND BAR PER QQ-A-225/7 (REF DART SPEC M5052H32R) OR ALUMINUM 6061-T6/T651/T6510/T6511/T62 ROUND BAR PER QQ-A-225/8 OR QQ-A-200/8 OR AMS 4117/4128/4115/4116/4160 (REF DART SPEC M6061T6R)
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- POWDER COAT SPECIFIED FACES WHITE GLOSS (4.3.5.1) PER DART QSI 005 4.3 (2.3.5.1) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 5) BREAK ALL SHARP EDGES TO 0.010 MAX

**D2594-3 O-RING NOTES:** 

1) 5/16 ID, 7/16 OD, 1/16 WIDTH 2) POSSIBLE SUPPLIER P/N: PARKER 2-011 OR MS28775-011

#### PARTS LIST:

QTY	P/N	DESCRIPTION
Х	D2594	PLUG ASSEMBLY
1	D2594-1	PLUG
1	D2594-3	O-RING



## **D2594 PLUG ASSEMBLY**

#### COPYRIGHT © 1996 BY DART AEROSPACE LTD

.,:

.

•

i